

# Solco SBP-012 Vent Box

## Description:

Solco Vent Box is designed to effectively disperse passively vented gas safely into the atmosphere. The vents should be positioned near the building perimeter or in soft landscape.

In areas of vehicle traffic, the ground level vent box can be positioned underneath a gully grate to suit road traffic (design of bearing load to be approved by the engineer).

Lids are available in stainless steel or galvanised steel. Stainless steel screws are provided. Base connection should be to storm water collection, land drainage or soakaway system. Only for use in areas that sustain light foot traffic.




## Technical Data:

Property	Value
Dimensions (L,W,H)	500,150,275 mm
HDPE Wall Thickness	4mm
HDPE Twinwall Pipe Inlet / Outlet	110mm
<b>Holed Lid</b>	
Thickness	1.6mm
Hole Diameter	6mm
<b>Slotted Lid</b>	
Thickness	1.6mm
Slot Width	8mm
<b>Air Flow</b>	
Holed Lid	5994mm <sup>2</sup>
Slotted Lid	19200mm <sup>2</sup>

## Installation:

Correct Installations/specification should be sought from the specifier, ground engineers or the structural engineers to ensure the unit is suitable for the intended location.



Solco, Unit 51, Portmanmoor Road Industrial Estate, Ocean Park, Cardiff, CF24 5HB